

2017 125 RR-S

Front:

.68 kg AB-12043-68	125-144 lbs.
.70 kg AB-12043-70	145-164 lbs
.72 kg AB-12043-72	165-175 lbs
.74 kg AB-12043-74	176-195 lbs
.76 kg AB-12043-76	196-225 lbs
.78 kg AB-12043-78	226-250 lbs

Rear:

3.8 kg AB-10147-38	125-144 lbs.
4.0 kg AB-10147-40	145-164 lbs
4.2 kg AB-10147-42	165-175 lbs
4.4 kg AB-10147-44	176-195 lbs
4.6 kg AB-10147-46	196-225 lbs
4.8 kg AB-10147-48	226-250 lbs

denotes stock spring

	2017	Xtrainer
Front:		
.76 kg AB-12043-76		125-144 lbs.
.78 kg AB-12043-78		145-164 lbs
.80 kg AB-12043-80		165-175 lbs
.82 kg AB-12043-82		176-190 lbs
.84 kg AB-12043-84		191-210 lbs
.86 kg AB-12043-86		211-230 lbs
.88 kg AB-12043-88		231-250 lbs
.90 kg AB-12043-90		251-270 lbs
.92 kg AB-12043-92		271-280 lbs

Rear:		
4.8 kg AB-10145-48		125-144 lbs.
5.0 kg AB-10145-50		145-164 lbs
5.2 kg AB-10145-52		165-175 lbs
5.4 kg AB-10145-54		176-190 lbs
5.6 kg AB-10145-56		191-210 lbs
5.8 kg AB-10145-58		211-230 lbs
6.0 kg AB-10145-60		231-250 lbs
6.2 kg AB-10145-62		251-270 lbs
6.4 kg AB-10145-64		271-280 lbs

denotes stock spring

2017 RR 2 stroke

Front:

.38 AB-12048-38	140-154 lbs
.40 AB-12048-40	155-174 lbs
.42 AB-12048-42	175-190 lbs
.44 AB-12048-44	191-210 lbs
.46 AB-12048-46	211-230 lbs
.48 AB-12048-48	231-250 lbs
.50 AB-12048-50	251-270 lbs
.52 AB-12048-52	271-280 lbs
.54 AB-12048-54	
.56 AB-12048-56	

Rear:

4.6 AB-10150-46	140-154 lbs
4.8 AB-10150-48	155-169 lbs
5.0 AB-10150-50	170-184 lbs
5.2 AB-10150-52	185-199 lbs
5.4 AB-10150-54	200-224 lbs
5.6 AB-10150-56	225-239 lbs
5.8 AB-10150-58	240-254 lbs
6.0 AB-10150-60	255-269 lbs
6.2 AB-10150-62	
6.4 AB-10150-64	

denotes stock spring

	2017	RR-Race 4 stroke	RR-Race 2 stroke
Front:			
.38 AB-12048-38			140-154 lbs
.40 AB-12048-40			155-174 lbs
.42 AB-12048-42		140-154 lbs	175-190 lbs
.44 AB-12048-44		155-174 lbs	191-210 lbs
.46 AB-12048-46		175-190 lbs	211-230 lbs
.48 AB-12048-48		191-220 lbs	231-250 lbs
.50 AB-12048-50		221-239 lbs	251-270 lbs
.52 AB-12048-52		240-259 lbs	271-280 lbs
.54 AB-12048-54		260-280 lbs	281-300 lbs
.56 AB-12048-56		281-300 lbs.	

Rear:			
4.6 AB-10150-46			140-154 lbs
4.8 AB-10150-48		140-154 lbs	155-169 lbs
5.0 AB-10150-50		155-169 lbs	170-184 lbs
5.2 AB-10150-52		170-184 lbs	185-199 lbs
5.4 AB-10150-54		185-199 lbs	200-224 lbs
5.6 AB-10150-56		200-224 lbs	225-239 lbs
5.8 AB-10150-58		225-239 lbs	240-254 lbs
6.0 AB-10150-60		240-254 lbs	255-269 lbs
6.2 AB-10150-62		255-269 lbs	
6.4 AB-10150-64		270-285 lbs	

denotes stock spring

2017 RR-S 4 stroke

Front:

.38 AB-12048-38	
.40 AB-12048-40	
.42 AB-12048-42	
.44 AB-12048-44	140-154 lbs
.46 AB-12048-46	155-174 lbs
.48 AB-12048-48	175-190 lbs
.50 AB-12048-50	191-220 lbs
.52 AB-12048-52	221-239 lbs
.54 AB-12048-54	240-259 lbs
.56 AB-12048-56	260-280 lbs

Rear:

4.6 AB-10150-46	
4.8 AB-10150-48	140-154 lbs
5.0 AB-10150-50	155-169 lbs
5.2 AB-10150-52	170-184 lbs
5.4 AB-10150-54	185-199 lbs
5.6 AB-10150-56	200-224 lbs
5.8 AB-10150-58	225-239 lbs
6.0 AB-10150-60	240-254 lbs
6.2 AB-10150-62	255-269 lbs
6.4 AB-10150-64	270-285 lbs

denotes stock spring