

	2018	Xtrainer
Front:		
.74 kg AB-12043-74		100-119 lbs
.76 kg AB-12043-76		120-139 lbs
.78 kg AB-12043-78		140-159 lbs
.80 kg AB-12043-80		160-179 lbs
.82 kg AB-12043-82		180-199 lbs
.84 kg AB-12043-84		200-219 lbs
.86 kg AB-12043-86		220-239 lbs
.88 kg AB-12043-88		240-259 lbs
.90 kg AB-12043-90		260-279 lbs
.92 kg AB-12043-92		280-299 lbs

Rear:		
4.6 kg AB-10148-46		100-119 lbs
4.8 kg AB-10148-48		120-139 lbs
5.0 kg AB-10148-50		140-159 lbs
5.2 kg AB-10148-52		160-179 lbs
5.4 kg AB-10148-54		180-199 lbs
5.6 kg AB-10148-56		200-219 lbs
5.8 kg AB-10148-58		220-239 lbs
6.0 kg AB-10148-60		240-259 lbs
6.2 kg AB-10148-62		260-279 lbs
6.4 kg AB-10148-64		280-299 lbs

denotes stock spring

	2018	RR 2 stroke
Front:		
.38 AB-12048-38		120-139 lbs
.40 AB-12048-40		140-159 lbs
.42 AB-12048-42		160-179 lbs
.44 AB-12048-44		180-199 lbs
.46 AB-12048-46		200-219 lbs
.48 AB-12048-48		220-239 lbs
.50 AB-12048-50		240-259 lbs
.52 AB-12048-52		260-279 lbs
.54 AB-12048-54		280-299 lbs

Rear:		
4.8 AB-10150-48		120-139 lbs
5.0 AB-10150-50		140-159 lbs
5.2 AB-10150-52		160-179 lbs
5.4 AB-10150-54		180-199 lbs
5.6 AB-10150-56		200-219 lbs
5.8 AB-10150-58		220-239 lbs
6.0 AB-10150-60		240-259 lbs
6.2 AB-10150-62		260-279 lbs
6.4 AB-10150-64		280-299 lbs

denotes stock spring

	2018	RR-Race 4 stroke	RR-Race 2 stroke
Front:			
.38 AB-12048-38			120-139 lbs
.40 AB-12048-40		110-119 lbs	140-159 lbs
.42 AB-12048-42		120-139 lbs	160-179 lbs
.44 AB-12048-44		140-159 lbs	180-199 lbs
.46 AB-12048-46		160-179 lbs	200-219 lbs
.48 AB-12048-48		180-199 lbs	220-239 lbs
.50 AB-12048-50		200-219 lbs	240-259 lbs
.52 AB-12048-52		220-239 lbs	260-279 lbs
.54 AB-12048-54		240-259 lbs	280-299 lbs
.56 AB-12048-56		260-279 lbs	
Rear:			
4.8 AB-10150-48		110-119 lbs	120-139 lbs
5.0 AB-10150-50		120-139 lbs	140-159 lbs
5.2 AB-10150-52		140-159 lbs	160-179 lbs
5.4 AB-10150-54		160-179 lbs	180-199 lbs
5.6 AB-10150-56		180-199 lbs	200-219 lbs
5.8 AB-10150-58		200-219 lbs	220-239 lbs
6.0 AB-10150-60		220-239 lbs	240-259 lbs
6.2 AB-10150-62		240-259 lbs	260-279 lbs
6.4 AB-10150-64		260-279 lbs	280-299 lbs

denotes stock spring

2018

125 RR-S

Front:

.68 kg AB-12042-68	120-139 lbs
.70 kg AB-12042-70	140-159 lbs
.72 kg AB-12042-72	160-179 lbs
.74 kg AB-12042-74	180-199 lbs
.76 kg AB-12042-76	200-219 lbs
.78 kg AB-12042-78	220-239 lbs

Rear:

3.8 kg AB-10147-38	120-139 lbs
4.0 kg AB-10147-40	140-159 lbs
4.2 kg AB-10147-42	160-179 lbs
4.4 kg AB-10147-44	180-199 lbs
4.6 kg AB-10147-46	200-219 lbs
4.8 kg AB-10147-48	220-239 lbs

denotes stock spring

2018 RR-S 4 stroke (350-500)

Front:

.42 AB-12048-42	110-129 lbs
.44 AB-12048-44	130-149 lbs
.46 AB-12048-46	150-169 lbs
.48 AB-12048-48	170-189 lbs
.50 AB-12048-50	190-209 lbs
.52 AB-12048-52	210-229 lbs
.54 AB-12048-54	230-249 lbs
.56 AB-12048-56	250-269 lbs

Rear:

4.6 AB-10150-46	
4.8 AB-10150-48	110-129 lbs
5.0 AB-10150-50	120-139 lbs
5.2 AB-10150-52	140-159 lbs
5.4 AB-10150-54	160-179 lbs
5.6 AB-10150-56	180-199 lbs
5.8 AB-10150-58	200-219 lbs
6.0 AB-10150-60	220-239 lbs
6.2 AB-10150-62	240-259 lbs
6.4 AB-10150-64	260-279 lbs

denotes stock spring

Sachs Xtrainer Shock

4.6 AB-10149-46	100-119 lbs
4.8 AB-10149-48	120-139 lbs
5.0 AB-10149-50	140-159 lbs
5.2 AB-10149-52	160-179 lbs
5.4 AB-10149-54	180-199 lbs
5.6 AB-10149-56	200-219 lbs
5.8 AB-10149-58	220-239 lbs
6.0 AB-10149-60	240-259 lbs
6.2 AB-10149-62	260-279 lbs
6.4 AB-10149-64	280-299 lbs